



Range Overview 700XP & 900XP Accessories

Contents

Accessories for specific functions

Accessories for gas ranges	4
Accessories for gas boiling top HP	5
Accessories for electric ranges	5
Accessories for induction ranges	6
Accessories for oven ranges	7
Accessories for fry lops	8
Accessories for grills	10
Accessories for multifunctional cookers	13
Accessories for fryers	14
Accessories for pasta cookers	18
Accessories for bain maries	23
Accessories for braising and boiling pans	23
Accessories for boiling pans	24
Accessories for cupboards and open bases	26
Accessories for refrigerated bases	28
Soft cooker	28

Accessories for installation

Covering panels	29
Handrails	30
Chimney upstands	31
Stands / supports	32
Junction sealing kit	32
stainless steel plinths	33
Cover panels for service duct	34
Installation on 100 mm concrete plinth	35
Support for bridge installation	36
Cantilever support	37
Cantilever support bars and cover panels	38
Wheels and flanged feet	39
Water columns	40

Accessories for gas ranges



Burner double zone plates

Range	700XP	
PNC	921684	921685
Plate	smooth	ribbed
Material	stainless steel	

• Fry top mode for 700 range gas burners and simple service

• Equipped with a removable grease collection container



Burner radiant plates

Range	700XP	900XP
PNC	206264	206170
Plate		only for 6kW burners
Material	cast iron	

Solid top mode for gas burners and simple service

206363




Wok support

Range	700XP and 900XP	
PNC	206363	
Material	stainless steel	

Wok pan support for open burners

• Except for 3-burner top 391024



Burner radiant plates

Range	700XP	900XP
PNC	206297	206298
Material	stainless steel	

Pans support for gas burners

Accessories for gas boiling top HP

206283



Ground support for 3-burner gas boiling top (391024)

Range	900XP	
PNC	206283	
Material	stainless steel	

• Lets the 3-burner top 391024 be used like a stockpot

Accessories for electric ranges





Cast iron bars

Range	700XP	900XP
PNC	206168	206056
Material	cast iron	
2 aget iron have to obtain 2 wider flat cooking zones		

2 cast iron bars to obtain 2 wider flat cooking zones

700XP for hot square plates only

Accessories for induction ranges



Induction pans

Range	700XP and 900XP		
PNC	653596	653597	653598
Material	stainless steel	aluminum	aluminum
Handle	stainless steel	stainless steel	stainless steel
Diameter	200 mm	240 mm	280 mm



Induction wok-pans

Range	700XP and 900XP		
PNC	910613	911587	911588
Material	steel	stainless steel	stainless steel
Handle	wood	stainless steel	-
Diameter	360 mm	360 mm	360 mm
Height	105 mm	105 mm	-

Accessories for oven ranges



Chrome grid

Range	700XP and 900XP	
PNC	164250	
Oven	for static oven	
Size	2/1 GN	
Material	chrome	

I piece is included in standard delivery

206204

206243





Chrome grids

Range	900XP		
PNC	206204 206243		
Oven	for large oven*	for ventilated oven**	
Size	972x687 mm 2/1 GN		
Material	chrome		

* For codes 391015 and 391016; 1 piece is included in standard delivery

**2 pieces are included in standard delivery

Accessories for fry tops

164255

206420

206346



Scrapers

Range	700XP and 900XP		
PNC	164255 206420		
Use on	smooth plate	ribbed plate	

 1 or 2 pieces, according to the surface type, is included in the standard delivery for the 700XP and 900XP chrome plated models and are optional for steel 700XP models



Fry top stainless steel drain pipe guides for container 5 litres grease container

Grease container

Range	700XP and 900XP
PNC	206346
Use on	smooth plate

 Includes containers, guides, stainless steel drain pipe to convey the grease/oil from the fry top cooking surface to the container and front closing panel

To be used with top, cupboard and open base

Accessories for fry tops

206296



Stopper

Range	700XP and 900XP
PNC	206296
Material	stainless steel
Charaman fam	

 Stopper for fry top with horizontal plate - used to keep the grease released by the food on the frying plate

• Except for HP version





Range	900XP		
PNC	206153	216153	206345
Appliance width	400 mm	800 mm	1200 mm

206345

206153

216153



9

Accessories for grills

206408

206415



Grids for freestanding gas grills

Range	700XP		900XP	
PNC	206414	206410	206408	206404
Appliance width	400 mm	800 mm	400 mm	800 mm
Material	stainless steel			

 Grills are equipped with cast-iron grids with drainage channels as standard



Grids with drain channels for freestanding grills

Range	700XP		900XP	
PNC	206415	206411	206409	206405
Appliance width	400 mm	800 mm	400 mm	800 mm
Material	stainless steel			

 Grills are equipped with cast-iron grids with drainage channels as standard



Grids with drain channels for top grills

Range	700XP		
PNC	206415	206416	206418*
Appliance width	400 mm	800 mm	400 mm
Material	stainless steel		
Note	grid grid support		

 Grills are equipped with cast-iron grids with drainage channels as standard

 *Applied to the splashguard as a support to adjust the inclination of the grid. Order 2 pieces for 800 mm unit

► Except for electric Powergrill^{HP}

Accessories for grills

206422




Grids with drain channels for freestanding grills

Range	700XP		900XP	
PNC	206421	206422	206347	206436
Grid type	stainless steel with drain channels	cast iron	cast iron	steel
Appliance type	standard	standard	HP gas	HP electric
Included		٠		•
Note	scraper	scraper	scraper with hook	scraper

206437





Drain extension for HP electric grills

Range	700XP and 900XP	
PNC	206437	
Material	stainless steel	
Note	to be used with 206257 (700XP) or 206145 (900XP)	
Use on	smooth plate	

- To be used as an alternative to standard drain together with a GN container to be ordered separately
- Water container capacity should be:
 - 4,5 | for 1/2 module 700XP
- 8,8 | for 1 module 700XP
- 12,7 I for 1+1/2 module 700XP
- 6,7 l for 1/2 module 900XP
- 13 I for 1 module 900XP
- 20 I for 1/2 module 900XP

Accessories for grills



Water filling taps

Range	700XP and 900XP		
PNC	206280	206281	
Appliance width	400 mm	800 mm	

• For gas and electric freestanding grills



Heat deflectors

Range	700XP	900XP
PNC	206434	206435
Appliance typology	Electric HP grill	Electric HP grill

Delivered as standard with Electric HP grills

921024



Cooking grids

Range	700XP	900XP
PNC	921025	921024
Appliance typology	Electric HP grill	Electric HP grill

• Delivered as standard with Electric HP grills

Accessories for multifunctional cookers



Lids

Range	700XP and 900XP	
PNC	921689	921690
Appliance width	400 mm	800 mm

• For gas and electric multifunctional cookers



Scrapers

Range	700XP and 900XP		
PNC	164255	921694	
Note	scraper	blades with rounded corners	


Included in standard delivery



Baskets for gas and electric fryers

Range	700XP	
PNC	960638	921608
Quantity	2	1
Size	half	full
Appliance typology	2x5 and 7 I	71

▶ 960638 is included in standard delivery



Baskets for gas and electric fryers

Range	700XP		
PNC	921629	921691	921692
Quantity	1	1	2
Size	full	full	half
Appliance typology	12	14 and 15 I	14 and 15 I

921629 is included in standard delivery



Baskets for gas and electric fryers

Range	700XP	
PNC	921609	921642
Quantity	1	1
Size	half	full
Appliance typology	34 I	34 I

921609 is included in standard delivery



Baskets for gas and electric fryers

Range	700XP and 900XP		700XP	
PNC	921691	921692	206196	
Quantity	1	2	1	
Size	full	half	full	
Included	1	l for programmable	-	
Appliance typology	14 and 15 I standard	14 and 15 I standard & programmable	15 l programmable	



Baskets for gas and electric fryers

Range	900XP			
PNC	927223	927226	927200	927201
Quantity	2	1	2	1
Size	half	full	half	full
Appliance	18 and 23 I	18 and 23 I	18 and 23 l	18 and 23 l
typology	standard		with a fro	ont hook*

927223 is included in standard delivery

* Can be used to block baskets on the top for oil dripping



Sediment trays

Range	700XP and 900XP	900XP
PNC	206235	921023
Appliance typology	15 I	23

For freestanding V-shape fryers





Range	700XP and 900XP	900XP
PNC	921695	927227
Appliance typology	15 I	23

• For drain pipe of freestanding V-shape fryers

921693 206359 200086

Oil filter for freestanding fryers

Range	700XP and 900XP	900XP	
PNC	921693	206359	200086
Appliance typology	7, 2x7, 14, 2x14, 15 and 2x15 l	18, 23* I	23 l**
Material	stainless steel		

* Only for Gas Tube model PNC 391084

**All 23 I fryers except the Gas Tube model

Advanced filtration system

Range	900XP		
PNC	200086 200084* 200085		
Appliance typology	23 I with oil recirculation pump		
Material	stainless steel	stainless steel	paper
Included for 23 I	•	-	_

*Kit for paper filter: mandatory for using paper filter

206209 206301

200086

200084 200085



Extension for oil drainage

Range	700XP and 900XP	900XP
PNC	206301	206209
Appliance typology	15 I	23

Compulsory when the fryer is installed on plinth



Extension with pump for oil drainage

Range	900XP
PNC	200087
Material	Highly resistant elastomer with stainless steel extremities
Appliance typology	23 I with oil recirculation pump



Deflectors

Range	700XP and 900XP	900XP
PNC	921696	960645
Appliance typology	15 I	23

For floured products for freestanding V-shape fryers

• The deflector is lying on the inclined part of the well, in order to avoid the bread or flour released by the products to lie there and get burned.

206201



Hygienic lid for fryers

Range	900XP
PNC	206201
Appliance typology	23

Standard lid delivered as standard for the 23 litres fryer model.

200171



Lid for oil container

Range	900XP
PNC	200171
Appliance typology	23

• Standard lid delivered as standard for the 23 litres fryer model.

921611

921610



Baskets

Range	700XP		
PNC	921611	921610	
Quantity	1	2	
Size	350x220 mm	170x220 mm	
Appliance typology	24.5 and 24.5+24.5 I	24.5 and 24.5+24.5 l	

 Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 371100)

921619



Baskets

Range	700XP
PNC	921619
Quantity	2
Size	105x350 mm
Appliance typology	24.5 and 24.5+24.5 l

 Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 371100)



Range	700XP
PNC	206381
Quantity	1
Size	290 x 85 mm
Appliance typology	24.5 and 24.5+24.5 l

• To be used with 921619



921020

921021

921022



Baskets and support for baskets

Range	700XP		
PNC	921020	921021	921022
Quantity	2	2	1
Max nr. of baskets per well	4	6	-
Size	105x160 mm	105x105 mm	230x350 mm
Appliance typology	24.5 and 24.5+24.5 I	24.5 and 24.5+24.5 I	24.5 and 24.5+24.5 l
Note	baskets	baskets	support h 60 mm

 Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 371100)

Support is mandatory

Accessories for automatic pasta cookers



Baskets and support for baskets

Range	700XP		
PNC	206312 206314 206362		
Quantity	2	2	1
Size	115x163 mm	105x350 mm	350x230 mm
Appliance typology	automatic pasta cooker		
Note	baskets	baskets	support h 147 mm

Support is recommended



206237



Baskets

Range	900XP	
PNC	206433	206237
Quantity	2	1
Max nr. of baskets per well	6	2
Size	130x130 mm 6 fit in a 40 l well	135x310 mm 2 fit in a 40 l well
Appliance typology	40 and 40+40 l	40 and 40+40 l

► Code 206238 compulsory for: 206433 and 206237



Baskets and support for baskets

Range	900XP			
PNC	206233 206238			
Quantity	1+2	1		
Size	1x 1/3 GN + 2x135x310 mm	295x505 mm		
Appliance typology	40 and 40+40 l	40 and 40+40 l		
Note	baskets	support		

Code 206238 compulsory for: 206233



Baskets

Range	900XP		
PNC	927216	927211	927210
Quantity	1	2	3
Size	1/1 GN	1/2 GN	1/3 GN
Appliance typology	40 and 40+40 l	40 and 40+40 l	40 and 40+40 l




Round baskets

Range	900XP		
PNC	927212	927213	
Quantity	3	6	
Size	Ø 181 mm	Ø 145 mm	
Appliance typology	40 and 40+40 l	40 and 40+40 l	




Supports for 40 I pasta cookers

Range	900XP	
PNC	927219	960644
Size	290x500x115 mm	330x535x10 mm
Note	grid support for round baskets (compulsory for 927212 and 927213)	support frame to hold 6 round baskets (alternative to 927219)









Lids and lid holder

Range	700XP	900XP
PNC	921607	206190
Size	24.5 and 24,5 + 24,5	40 and 40+40
Appliance typology	lid	lid and lid holder

Energy Saving Device

Range	700XP and 900XP	
PNC	206344	
Note	1 per well needed	

Used to preheat fresh water to refill the well, thus saving energy



2 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



Programmable basket lifting unit

Range	700XP
PNC	206352
Dimension	200 mm wide

Available baskets

	921610	2 baskets 170x220 mm see page 20
ń	921020	2 baskets 156x172 mm see page 21
	206396	frame/support for 2 single portion baskets for 921020



Programmable basket lifting unit

Range	900XP
PNC	206353
Dimension	200 mm wide

Available baskets

	927210	3 X 1/3GN baskets see page 22
'n	206433	2 basket 130x130 mm see page 22
	206395	frame/support for 2 single portion baskets for 206433



Accessories for braising and boiling pans

922403



Trolleys with lifting and removable tank

Range	700XP and 900XP	
PNC	922403	
Material	stainless steel	

Accessories for boiling pans

921626



Basket

Range	700XP and 900XP
PNC	921626
Appliance typology	60 I
Note	1-section basket

• To make your boiling pan work as a pasta cooker!

925018



Basket

Range	900XP
PNC	925018
Appliance typology	100 I
Note	2-section universal basket

• To make your boiling pan work as a pasta cooker!

925019



Basket

Range	900XP
PNC	925019
Appliance typology	150 I
Note	2-section universal basket

• To make your boiling pan work as a pasta cooker!

Accessories for boiling pans

206279



Automatic depressurization kit

Range	900XP
PNC	206279
Appliance typology	100 and 150 l

For indirect heating boiling pans (double jacketed)

 If not installed: depressurization of the double-jacket must be done manually

Water additive against corrosion

Range	700XP and 900XP	
PNC	927222	
Appliance typology	100 and 150 I indirect heating	

For indirect heating boiling pans

 I container of water additive against corrosion is already included in the standard appliances delivery

927222

927001



「「「」」」」」」

Measuring rods

Range	900XP		
PNC	927000	927001	927002
Appliance typology	60 I	100 I	150

Accessories for cupboards and open bases

206350

206259



Door for open base

Range	700XP and 900XP
PNC	206350
Same for left and right-side door	

Same for left and right-side door

Electric heating kit for cupboard

Range	700XP and 900XP	
PNC	206259	
Size	360x510x60 mm	
Electric conn.	230V lph 50/60 Hz	
Power	0.65 kW	

• To be fixed on the bottom of the base

 The base has to be with doors and can not be used as holding cabinet for food

Only in combination with gas cookers and ambient worktops

206245

Central support

Range	700XP and 900XP
PNC	206245
Note	central support for installation of drawers and grids (on 800/1200 mm bases) and of doors (on 1200 mm bases)

Needed for installation of drawers and grid runners (1 piece for 800 mm)

Needed for installation of drawers and grid runners (2 pieces for 1200 mm) or only doors (1 piece for 1200 mm)

Needed if Powergrill or HP fry top are mounted on base

Accessories for cupboards and open bases

206244



Supports with side runners

Range	700XP		900XP
PNC	206257	206244	206145
Note	2 supports with side runners for 4 GN 1/1 containers for open base 371112, 371113, 371114, 371263, 371264 and 371265	2 supports with side runners for 4 GN 1/1 containers for cupboards	2 supports with side runners for 4 GN 1/1 containers for open base or cupboards





Drawers

Range	700XP	900XP
PNC	206318	206334
Quantity	2	2
Height	100 mm	100 mm

Accessories for refrigerated bases

206351



Drawers

Range	700XP	
PNC	206351	
Quantity	2	

Soft cooker

206428



206429



Soft cooker

Range	700XP and 900XP		
PNC	206428 206429		
Size	128x175x340 mm	GN 1/1	
Material	stainless steel		
Note	plug-in with lid		

Installation accessories Covering panels

216000 216134



Aesthetical side covering panels

Range	700XP	900XP
PNC	216000*	216134*
Appliance typology	freestanding 700 mm high	freestanding 700 mm high

• The code includes 2 side covering panels

 * Should be ordered as a special in case of installation on ref-freezer base (code 727982)

Aesthetical side covering panels

Range	700XP	900XP
PNC	216277	216278
Appliance typology	top 250 mm high	top 250 mm high

• The code includes 2 side covering panels

206373

216277 216278



Rear covering panels

Range	700XP and 900XP				
PNC	206373	206374	206375	206376	
Size	600 mm	800 mm	1000 mm	1200 mm	

• For island installation to cover the back of the appliances

Installation accessories Handrails



Front handrails 50 mm depth

Range	700XP and 900XP				
PNC	216046	216047	216049	216050	
Size	400 mm	800 mm	1200 mm	1600 mm	



Back handrails 50mm depth

Range	700XP and 900XP		
PNC	206308	206309	
Size	800 mm	1200 mm	

• To be used for island installation



Side handrails 50 mm depth

Range	700XP	900XP
PNC	206307	216044
Note	2 pieces: right and left side	2 pieces: right and left side



Portioning shelves 140 mm depth

Range	700XP and 900XP		
PNC	216185	216186	
Size	400 mm	800 mm	

Note: none can be mounted to 700XP induction and infrared units.

Installation accessories Chimney upstands



Chimney upstands

Range	700XP and	900XP			
PNC	206302	206303	206304	206305	206306
Width	200 mm	400 mm	800 mm	1000 mm	1200 mm



Chimney grid nets

Range	700XP and 900XP			
PNC	206399	206400	206402	206403
Width	200 mm	400 mm	500 mm	590 mm

Installation accessories Stands / supports



Stand / supports (shelves)

Range	900XP		
PNC	206183	206184	
Width	400 mm	800 mm	
Note	to be installed on the neutral work tops		

Can not be used with Salamanders

Installation accessories Junction sealing kit

206086

Junction sealing kit

Range	700XP and 900XP
PNC	206086
Note	junction sealing kit to fill any possible gap between side-by-side appliances and prevent from any dirt infiltration

Installation accessories stainless steel plinths



Frontal kicking strips

Range	700XP and	700XP and 900XP				
PNC	206174	206175	206176	206177	206178	206179
Width	200 mm	400 mm	800 mm	1000 mm	1200 mm	1600 mm
Appliance typology	all*	all*	all*	all*	all*	all*

* Except 23 | fryer and ref-freezer base

Frontal kicking strips

Range	900XP	
PNC	206203	880336
Appliance typology	23 fryers	ref-freezer base

Side kicking strips

Range	700XP	900XP	900XP	
PNC	206249	206180	880221	
Width	700 mm	900 mm	900 mm	
Appliance typology	all*	all*	ref-freezer base	


* Except ref-freezer base

Kicking strips final effect

0		0 *	0	•	.6
				-	

- Front and side kicking strips are aesthetical and hygienic elements, but they do not support the appliance's weight (that is the feet's task)
- Front kicking strips can be mounted on the back side if needed

Cover panels for service duct



Kit of panels for service duct

Range	700XP
PNC	206248
Note	kit of panels for service duct for installation top on base
Size	300x40x160 mm


• Freestanding versions of 700XP are without service duct

 Service duct cover panels are not needed in case aesthetical cover panels (code 216000) are ordered

900XP freestanding or top+base	900XP freestanding or top+base

Kit of panels for service duct

Range	900XP
PNC	206202
Note	kit of panels for service duct for back to back installation
Size	900x20x150 mm




Kit of panels for service duct

Range	900XP
PNC	206181
Note	kit of panels for service duct for installation top on base or for freestanding units
Size	300x40x160 mm

 Service duct cover panels are not needed in case aesthetical cover panels (code 216134) are ordered

Installation on 100 mm concrete plinth



Special feet for concrete installation

Range	700XP and 900XP
PNC	206210
Note	Except for: programmable pasta cooker and 700XP and 900XP programmable fryers
1 kit per ap	ppliance

 The concrete plinth must be 100 mm high in order to have the worktop at 900 mm height: special feet for concrete installation are not adjustable in height

Concrete installation is not possible for re-freezer base

Frontal kicking strips

Range	700XP and 900XP								
PNC	206146	206146 206147 206148 206150 206151 206152							
Width	200 mm	400 mm	800 mm	1000 mm	1200 mm	1600 mm			



Side kicking strips

Range	700XP	900XP	
PNC	206265	206157	


Support for bridge installation



Frontal kicking strips

Range	700XP and 900XP							
PNC	206154	206154 206137 206138 206139 206140 206141						
Width	400 mm	800 mm	1000 mm	1200 mm	1400 mm	1600 mm		


Only for top appliances



appliances (it is recommended to use flanged feet for 400 mm appliances)


Note: Bridge installation is not possible onto a braising pan

Installation accessories Cantilever support



Central supports with service duct

Range	700XP and 900XP						
PNC	206216	206217	206218	206219	206220		
Size	2000 mm	2400 mm	2800 mm	3200 mm	3600 mm		



Wall type supports with service duct


Range	700XP and 900XP						
PNC	206211 206212 206213 206214 206215						
Size	2000 mm	2400 mm	2800 mm	3200 mm	3600 mm		

Special frame for installation

 Includes support frame, cover panels of central column, lower frontal cover panels of the support frame, top cover panel

Undercover panels


Range	700XP			
PNC	206323	206324	206325	206329
Size	200 mm	400 mm	800 mm	1200 mm



Undercover panels


Range	900XP			
PNC	206330	206331	206332	206336
Size	200 mm	400 mm	800 mm	1200 mm

Installation accessories Cantilever support bars and cover panels




2 aesthetic side cover panels

Range	700XP	900XP
PNC	206326	206337




2 lower covering elements

Range	700XP	900XP
PNC	206258	206295



2 support bars for top units

Range	700XP	900XP
PNC	206315	206322



Floor fixing foot

Range	700XP and 900XP
PNC	206226
Dimension WxDxH	105 x 485 x 100 mm

Kit for braising pan installation

Range	900XP
PNC	206364

Note: Ask your local Electrolux Professional Sales representative for the Cantilever Configurator

Installation accessories Wheels and flanged feet

206135



0

0

0

0

C

Wheels

Range	700XP and 900XP		
PNC	206135	206432	880234*
Appliance	4 wheels (2 with brakes)	6 wheels (3 with brakes)	4 wheels for ref-freezer base

*No support bar needed

- Cross-wise Range 700XP and 900XP PNIC 206366 206631 206367 206368

Range						
PNC	206366	206431	206367	206368	206369	206370
Appliance typology	all*	all*	all*	all*	all*	all*
Width	400 mm	600 mm	800 mm	1200 mm	1600 mm	2000 mm

Supports for hygienic installation on feet or wheels

 *Except 700XP 6 burner range with large oven , 900XP 23 I fryers and pasta cookers and refrigerated bases (see length-wise supports below)

Not for top appliances

Supports for hygienic installation on feet or wheels - lenght-wise

Range	700XP		900XP	
PNC	206371	206444	206430	206372
Quantity	2	3	3	2
Appliance	6 burner range with large oven	ref. bases	ref. bases	23 fryers and pasta cookers

206136



Flanged feet

Range	700XP and 900XP
PNC	206136
Quantity	2

Note: braising pans can not be installed on wheels

Installation accessories Water columns

206377



Flow meter

Range	700XP	900XP
PNC	206377	206378

Top equipped with water column and liter counter

206289



Water column with swivel arm

Range	700XP and 900XP		
PNC	206289		
 Cannot be installed on: Fryers, Chip scuttles, Bases (neutral, freezer, refrigerated) 			

206291

206290



Water column extension

Range	700XP	900XP	
PNC	206291	206290	

- Not needed when the water column inlet can be reached directly with the flexible water hose from the water net
- Both codes contain two extensions of different lenght
- Mandatory for 900XP installations

206231



External support for water column

Range	700XP and 900XP
PNC	206231

• To install the water column on the side or rear of the appliance

Request an offer to personalize your cooking area

Name
Company
Address

E-mail	
Telephone	
Fax	

Item name	PNC	Quantity

Look for the Electrolux partner nearest to you in our website: professional.electrolux.com

Dealer stamp



AUTHORIZED PARTNER



Excellence is central to everything we do. By anticipating our customers' needs, we strive for Excellence with our people, innovations, solutions and services. To be the OnE making our customers' work-life easier, more profitable – and truly sustainable every day.



professional.electrolux.com

Excellence with the environment in mind

- ► All our factories are ISO 14001-certified
- All our solutions are designed for low consumption of water, energy, detergents and harmful emissions
- In recent years over 70% of our product features have been updated with the environmental needs of our customers in mind
- Our technology is RoHS and REACH compliant and over 95% recyclable

Our products are 100% quality tested by experts

